

|    | Type | Hits | Search Text   | Dbs                       | Time Stamp       | Comments | Error Definition |
|----|------|------|---|---------------------------|------------------|----------|------------------|
| 1  | BRS  | 2107 | ((white calibration) adj (strip member board))  | USPAT; US-PGPUB; EPO; JPO | 2002/12/19 07:13 |          |                  |
| 2  | BRS  | 35   | ((first second two) adj ((white calibration) adj (strip member board)))                                       | USPAT; US-PGPUB; EPO; JPO | 2003/10/21 09:53 |          |                  |
| 3  | BRS  | 1    | ((358/496.ccls or 358/497.ccls.) and ((first second two) adj ((white calibration) adj (strip member board)))) | USPAT; US-PGPUB; EPO; JPO | 2002/12/21 12:23 |          |                  |
| 4  | BRS  | 1    | ((358/496.ccls.) and ((first second two) adj ((white calibration) adj (strip member board))))                 | USPAT; US-PGPUB; EPO; JPO | 2002/12/21 12:24 |          |                  |
| 5  | BRS  | 15   | 4907097.URPN.   | USPAT                     | 2002/12/21 13:12 |          |                  |
| 6  | BRS  | 15   | 4907097.URPN.   | USPAT                     | 2002/12/21 13:36 |          |                  |
| 7  | BRS  | 3    | ("4578711"   "4622594"   "4717963").PN.   | USPAT                     | 2002/12/21 13:37 |          |                  |
| 8  | BRS  | 1    | ADF and (first second two) adj ((white calibration) adj (strip member board))                                 | USPAT; US-PGPUB; EPO; JPO | 2002/12/23 11:12 |          |                  |
| 9  | BRS  | 751  | 358/406.ccls.   | USPAT; US-PGPUB; EPO; JPO | 2002/12/23 13:41 |          |                  |
| 10 | BRS  | 392  | 358/461.ccls.   | USPAT; US-PGPUB; EPO; JPO | 2002/12/23 13:41 |          |                  |
| 11 | BRS  | 1767 | 358/474.ccls.   | USPAT; US-PGPUB; EPO; JPO | 2002/12/23 13:41 |          |                  |
| 12 | BRS  | 1    | 358/474.ccls. and ((first second two) adj ((white calibration) adj (strip member board))))                    | USPAT; US-PGPUB; EPO; JPO | 2002/12/23 13:43 |          |                  |
| 13 | BRS  | 1    | 5864408.pn.   | USPAT; US-PGPUB; EPO; JPO | 2002/12/23 13:45 |          |                  |
| 14 | BRS  | 36   | ((second near5 (black white) near5 board))  | USPAT                     | 2003/06/09 11:36 |          |                  |

|    | Type | Hits  | Search Text  | DBs   | Time Stamp          | Comments | Error Definition |
|----|------|-------|--|-------|---------------------|----------|------------------|
| 15 | BRS  | 1     | ((second near5 ((black white) near5 board))) and (correct\$3 adjust\$3) near5 (light near5 (intensity quantity bright\$4))                     | USPAT | 2003/06/09<br>12:52 |          |                  |
| 16 | BRS  | 1     | ((second near5 ((black white) near5 board))) and (correct\$3 adjust\$3) same (light same (intensity quantity bright\$4))                       | USPAT | 2003/06/09<br>11:42 |          |                  |
| 17 | BRS  | 101   | (reference near5 (board strip)) and ((correct\$3 adjust\$3) near5 ((light illuminat\$3 lamp)) near5 (intensity quantity bright\$4))            | USPAT | 2003/06/09<br>12:11 |          |                  |
| 18 | BRS  | 0     | 6323933.URPN.  | USPAT | 2003/06/09<br>11:51 |          |                  |
| 19 | BRS  | 4     | ("5146351"   "5745253"   "6088138"   "6122077").PN.  | USPAT | 2003/06/09<br>11:51 |          |                  |
| 20 | BRS  | 1     | 6032864.pn.  | USPAT | 2003/06/09<br>12:11 |          |                  |
| 21 | BRS  | 1     | ((second near5 ((black white) near5 board))) and (correct\$3 adjust\$3) near5 ((light illuminat\$3 lamp) near5 (intensity quantity bright\$4)) | USPAT | 2003/06/09<br>13:51 |          |                  |
| 22 | BRS  | 1     | ((second near5 ((black white) near5 board))) and (correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity bright\$4))          | USPAT | 2003/06/09<br>12:53 |          |                  |
| 23 | BRS  | 15401 | (correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity bright\$4))   | USPAT | 2003/06/09<br>16:07 |          |                  |
| 24 | BRS  | 343   | ((correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity bright\$4))) and (image adj (reader scanner))                        | USPAT | 2003/06/09<br>12:55 |          |                  |

|    | Type | Hits   | Search Text  | DBs   | Time Stamp          | Comments | Error Definition |
|----|------|--------|--|-------|---------------------|----------|------------------|
| 25 | BRS  | 1      | ((correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity (bright\$4))) and (image adj (reader scanner))) and (second near5 ((white black) near5 board))   | USPAT | 2003/06/09<br>13:17 |          |                  |
| 26 | BRS  | 1      | 5864408.pn.  | USPAT | 2003/06/09<br>13:17 |          |                  |
| 27 | BRS  | 2      | 5864408.URPN.<br>("4958825"   "5075539"   "5077585"   "5100022"   "5104109"   "5313312"   "5379095"   "5485263"   "5513017"   "5523848"   "5537214"   "5537219"   "5638189"   "5717200"   "5856879"   "5864408"   "5878319"   "5909290").PN. | USPAT | 2003/06/09<br>13:17 |          |                  |
| 28 | BRS  | 18     |  | USPAT | 2003/06/09<br>13:39 |          |                  |
| 29 | BRS  | 1      | ((second near5 ((black white) near5 board))) and ((light illumination) near7 control)  | USPAT | 2003/06/09<br>13:55 |          |                  |
| 30 | BRS  | 301318 | (change vary adjust control) same (light lamp illumination intensity bright\$4)  | USPAT | 2003/06/09<br>16:16 |          |                  |
| 31 | BRS  | 144763 | (change vary adjust control) near7 (light lamp illumination intensity bright\$4)   | USPAT | 2003/06/09<br>13:59 |          |                  |
| 32 | BRS  | 1445   | ((change vary adjust control) near7 (light lamp illumination intensity bright\$4)) and (image adj (reader scanner))  | USPAT | 2003/06/09<br>14:00 |          |                  |
| 33 | BRS  | 1434   | ((change vary adjust control) near7 (light lamp illumination intensity bright\$4)) and (image adj (reader scanner))) and (second (black white reference))  | USPAT | 2003/06/09<br>14:01 |          |                  |

|    | Type | Hits | Search Text  | DBs   | Time Stamp          | Comments | Error Definition |
|----|------|------|--|-------|---------------------|----------|------------------|
| 34 | BRS  | 97   | ((change vary adjust control) near7 (light lamp illumination intensity bright\$4)) and (image adj (reader scanner)) and ((second (black white reference)) near7 board) | USPAT | 2003/06/09<br>15:09 |          |                  |
| 35 | BRS  | 0    | difference near7 ((light near7 second) near5 (white adj board))  | USPAT | 2003/06/09<br>15:12 |          |                  |
| 36 | BRS  | 0    | difference same ((light near7 second) near5 (white adj board))   | USPAT | 2003/06/09<br>15:12 |          |                  |
| 37 | BRS  | 70   | 358/475.ccls. and ((correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity bright\$4)))   | USPAT | 2003/06/09<br>16:08 |          |                  |
| 38 | BRS  | 12   | ((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls.) and (second near3 (white black))                                  | USPAT | 2003/06/09<br>16:17 |          |                  |
| 39 | BRS  | 239  | ((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls.  | USPAT | 2003/06/10<br>08:48 |          |                  |
| 40 | BRS  | 240  | ((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls.  | USPAT | 2003/06/10<br>08:49 |          |                  |
| 41 | BRS  | 0    | ((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls.) and ((first second) near3 (white adj board))                      | USPAT | 2003/06/10<br>08:51 |          |                  |

|    | Type | Hits | Search Text  | DBs                       | Time Stamp          | Comments | Error Definition |
|----|------|------|--|---------------------------|---------------------|----------|------------------|
| 42 | BRS  | 0    | ((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls. ) and ((first second) near3 ((white reference black) adj board))   | USPAT                     | 2003/06/10<br>08:52 |          |                  |
| 43 | BRS  | 1    | ((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls. ) and ((first second) near7 ((white reference black) near5 board)) | USPAT                     | 2003/06/10<br>08:53 |          |                  |
| 44 | BRS  | 7    | 5249068.URPN.  | USPAT                     | 2003/06/10<br>08:58 |          |                  |
| 45 | BRS  | 13   | ("4660082"   "4829379"   "4868685"   "4870501"   "4916549"   "4989100"   "5062144"   "5070414"   "5099341"   "5101281"   "5105286"   "5146351"   "5157518").PN.        | USPAT                     | 2003/06/10<br>09:07 |          |                  |
| 46 | BRS  | 11   | 5099341.URPN.  | USPAT                     | 2003/06/10<br>11:57 |          |                  |
| 47 | BRS  | 1    | 5099341.pn.  | USPAT                     | 2003/06/11<br>16:49 |          |                  |
| 48 | BRS  | 1    | 5099341.pn. and ((first second) near7 (white adj reference))   | USPAT                     | 2003/06/11<br>16:51 |          |                  |
| 49 | BRS  | 1    | 5099341.pn.  | USPAT                     | 2003/06/13<br>11:03 |          |                  |
| 50 | BRS  | 40   | ((first second two) adj ((white calibration) adj (strip member board)))  | USPAT; US-PGPUB; EPO; JPO | 2003/10/21<br>09:54 |          |                  |
| 51 | BRS  | 13   | ((first second two) adj ((white calibration) adj (strip member board))) and ((correct\$3 adjust\$3) same (light\$4 illuminat\$3 lamp bright\$4))                       | USPAT; US-PGPUB; EPO; JPO | 2003/10/21<br>11:04 |          |                  |

| Type   | Hits | Search Text   | Dbs                          | Time Stamp          | Comments | Error Definition |
|--------|------|---|------------------------------|---------------------|----------|------------------|
| 52 BRS | 1    | ((first second two) adj<br>((white calibration) adj<br>(strip member board)) ) and<br>((adjust\$3 control\$4<br>decrease\$3 increasing) with<br>((light illumination lamp)<br>near5 (voltage power intensity<br>luminance)))  | USPAT; US-PGPUB;<br>EPO; JPO | 2003/10/21<br>11:08 |          |                  |
| 53 BRS | 1    | ((first second two) adj<br>((white calibration) adj<br>(strip member board)) ) and<br>((adjust\$3 control\$4 decrease\$3<br>increase\$3) with ((light<br>illumination lamp) near5<br>(voltage power intensity<br>luminance))) | USPAT; US-PGPUB;<br>EPO; JPO | 2003/10/21<br>11:09 |          |                  |
| 54 BRS | 6389 | ccd and ((adjust\$3 control\$4<br>decrease\$3 increase\$3) with<br>((light illumination lamp)<br>near5 (voltage power intensity<br>luminance)))   | USPAT; US-PGPUB;<br>EPO; JPO | 2003/10/21<br>11:09 |          |                  |
| 55 BRS | 4    | ((first second two) adj<br>((white calibration) adj<br>(strip member board)) ) and<br>((adjust\$3 control\$4 decrease\$3<br>increase\$3) same ((light<br>illumination lamp) near5<br>(voltage power intensity<br>luminance))) | USPAT; US-PGPUB;<br>EPO; JPO | 2003/10/21<br>12:41 |          |                  |
| 56 BRS | 3832 | picture adj reader  | USPAT; US-PGPUB;<br>EPO; JPO | 2003/10/21<br>12:42 |          |                  |
| 57 BRS | 80   | (picture adj reader) and flux   | USPAT; US-PGPUB;<br>EPO; JPO | 2003/10/21<br>12:42 |          |                  |
| 58 BRS | 0    | ((picture adj reader) and<br>flux) and cannon   | USPAT; US-PGPUB;<br>EPO; JPO | 2003/10/21<br>12:43 |          |                  |
| 59 BRS | 50   | ((picture adj reader) and<br>flux) and canon  | USPAT; US-PGPUB;<br>EPO; JPO | 2003/10/21<br>12:43 |          |                  |

|    | Type | Hits | Search Text   | DBs                       | Time Stamp       | Comments | Error Definition |
|----|------|------|---|---------------------------|------------------|----------|------------------|
| 60 | BRS  | 1    | ((picture adj reader) and flux) and canon) and (white adj board)  | USPAT; US-PGPUB; EPO; JPO | 2003/10/21 12:43 |          |                  |
| 61 | BRS  | 7257 | (reference near5 (board strip paper chart)) and ((control\$3 correct\$3 adjust\$3) with (light\$3 illuminat\$3 lamp))               | USPAT                     | 2003/10/22 15:11 |          |                  |
| 62 | BRS  | 86   | ((first adj reference) near5 (board strip paper chart)) and ((control\$3 correct\$3 adjust\$3) with (light\$3 illuminat\$3 lamp))   | USPAT                     | 2003/10/22 15:41 |          |                  |
| 63 | BRS  | 6    | ((first adj calibration) near5 (board strip paper chart)) and ((control\$3 correct\$3 adjust\$3) with (light\$3 illuminat\$3 lamp)) | USPAT                     | 2003/10/22 15:47 |          |                  |
| 64 | BRS  | 351  | 358/475.ccls.   | USPAT                     | 2003/10/22 15:48 |          |                  |
| 65 | BRS  | 288  | 358/475.ccls. and first and second  | USPAT                     | 2003/10/22 15:48 |          |                  |
| 66 | BRS  | 57   | (358/475.ccls. and first and second) and calibrat\$3  | USPAT                     | 2003/10/22 15:49 |          |                  |
| 67 | BRS  | 45   | 358/475.ccls. and (white adj (reference board plate paper))   | USPAT                     | 2003/10/23 08:50 |          |                  |
| 68 | BRS  | 39   | (358/475.ccls. and (white adj (reference board plate paper))) and ((adjust\$3 control\$4) same (power light illumination lamp))     | USPAT                     | 2003/10/23 11:08 |          |                  |
| 69 | BRS  | 1    | 5099341.pn.   | USPAT                     | 2003/10/23 11:10 |          |                  |
| 70 | BRS  | 1    | 5099341.pn. and light and adjust\$3 and circuit   | USPAT                     | 2003/10/23 11:11 |          |                  |
| 71 | IS&R | 2    | ((("5514864") or ("5864408")).PN.   | USPAT                     | 2003/11/18 10:00 |          |                  |
| 72 | BRS  | 1    | 5822052.pn.   | USPAT                     | 2004/05/12 13:11 |          |                  |

|    | Type | Hits | Search Text   | DBs   | Time Stamp          | Comments | Error Definition |
|----|------|------|---|-------|---------------------|----------|------------------|
| 73 | BRS  | 2    | 5822052.URPN.   | USPAT | 2004/05/12<br>13:12 |          |                  |
| 74 | BRS  | 6    | ("4680644"   "5212376"  <br>"5278674"   "5285293"  <br>"5592306"   "5636040").PN.     | USPAT | 2004/05/12<br>13:13 |          |                  |
| 75 | BRS  | 13   | ((shading adj correction) and<br>((first and second) adj white)                       | USPAT | 2004/05/12<br>15:05 |          |                  |
| 76 | BRS  | 9    | ((shading adj correction) and<br>((first and second) adj<br>white)) and (gain offset) | USPAT | 2004/05/12<br>15:06 |          |                  |
| 77 | BRS  | 5    | ((shading adj correction) and<br>((first and second) adj<br>white)) and gain          | USPAT | 2004/05/12<br>15:06 |          |                  |